## PHYSICIANS' INOFFICE SURGERY

CPT CODE	DESCRIPTION	2007 <u>MAXFEE</u>
14000-2	Adjacent tissue transfer or rearrangement, trunk; defect 10 sq	
	cm or less	\$741.78
14001-2	defect 10.1 sq cm to 30.0 sq cm	\$1,089.74
14020-2	Adjacent tissue transfer or rearrangement, scalp, arms, legs;	
	defect 10 sq cm or less	\$732.39
14021-2	defect 10.1sq cm to 30.0 sq cm	\$1,334.23
14040-2	Adjacent tissue transfer or rearrangement, forehead, cheeks,	
	chin, mouth, neck axilae, genitalia, hands, and/or feet; defect	
	10 sq cm or less	\$1,033.30
14041-2	defect 10.1 sq cm to 30.0 sq cm	\$1,390.63
14060-2		<b>*</b> 4 0 = 0 0 0
4.4004.0	and/or lips; defect 10 sq cm or less	\$1,258.98
14061-2	defect 10.1 sq cm to 30.0 sq cm	\$1,832.61
14300-2	•	<b>CO 044 00</b>
14250.0	unusual or complicated, any area	\$2,011.30
14350-2 15050-2		\$1,146.14
13030-2	or other minimal open area (except on face), up to defect size	
	2 cm diameter	\$346.83
15240-2	Full thickness graft free, including direct closure of donor site,	<b>4</b> 0.000
	forehead, cheeck, chin, foremouth, neck axilliae, genitalia,	
	hands, and/or feet; 20 sq cm or less	\$976.88
15260-2	Full thickness graft, free, including direct closure of donor site,	
	nose, ears, eylids, and/or lips; 20 sq cm or less	\$1,700.94
15570-2	Formation of direct or tubed pedicle, with or without transfer; trunk	\$1,926.66
15572-2	scalp, arms or legs	\$1,926.66
15574-2	forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands or feet	\$1,926.66
15576-2	eyelids, nose, ears, lips, or introral	\$1,926.66
15780-2		<b>#0 =00</b> 04
45704.0	general keratosis	\$2,706.31
15781-2	segmental, face	\$836.52
19120-2	Excision of cyst, fibroadenoma, or other benign or malignant tumor,	
	aberrant breast tissue, duct lesion, nipple or areolar lesion (except	¢764.00
26121-2	19140), open, male or female, one or more lesions Fasciectomy, palm only, with or without Z-plasty, other local tissue	\$761.83
20121-2	rearrangement, or skin grafting (includes obtaining graft)	\$1,625.73
26123-2	Fasciectomy, partial palmar excision with release of single digit	φ1,023.73
20120-2	including proximal interphalangeal joint, with or without Z-plasty,	
	other Icoal tissue rearrangement, or skin grafting (includes obtaining graft)	\$1,625.73
26125-2	each additional digit	\$657.15
26160-2	· · · · · · · · · · · · · · · · · · ·	Ψ000
	ganglion), hand or finger	\$839.08
27096-2	Injection procedure for sacroiliac joint, arthrography and/or anesthetic/	<b>,</b>
	steriod	\$192.85
28080-2	Excision, interdigital (Morton) neuroma, single, each	\$1,128.82
29870-2		
	(separate procedure)	\$1,230.78

CPT		2007
CODE	DESCRIPTION	<b>MAXFEE</b>
31622-2	Bronchoscopy, rigid or flexible, with or without fluoroscopic	
	guidance; diagnostic, with or without cell washing	\$732.39
31625-2	with bronchial or endobronchial biopsy(s), single or multiple sites	\$788.81
36475-2	·	
	all imaging guidance and monitoring, percutaneous, radiofrequency;	
	first vein treated	\$1,880.59
36476-2	second and subsequent veins treated in a single extremity, each	
004700	through separate access sites	\$940.30
36478-2		
	of all imagingguidance and monitoring, percutaneous, laser; first	<b>#4.005.44</b>
36479-2	vein treated	\$1,685.11
30479-2	second and subsequent veins treated in a single extremity, each through separateaccess sites	\$843.27
37785-2	Ligation, division, and/or excision of varicose vein cluster(s), one leg	\$307.95
	Biopsy or excision of lymph node(s); open, superficial	\$877.71
	Esophagoscopy, rigid or flexible; diagnostic, with or without collection	φοιτιτί
40200 Z	of specimen(s) by brushing or washing	\$636.34
43235-2	Upper gastrointestinal endoscopy including esophagus, stomack, and	φοσο.σ :
	either the duodenum and/or jejunum as appropriate; diagnostic, with or	
	without collection of specimen(s) by brushing or washing	\$723.20
43236-2	with directed submucosal injection(s), any substance	\$928.49
43237-2	with endoscopic ultrasound examination limited to the esophagus	\$794.66
43238-2	with transendoscopic ultrasound-guided intramural or transmural fine	
	needle aspiration/biopsy(s), esophagus (includes endoscopic	
	ultrasound examination limited to the esophagus)	\$933.24
43239-2	with biopsy, single or multiple	\$810.14
45378-2	Colonoscopy, flexible, proximal to splenic flexure; diagnostic, with or	
	without collection of specimen(s) by brushing or washing, with or without	
	colon decompression	\$1,138.47
45380-2	with biopsy, single or multiple	\$1,138.47
45385-2	with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$1,495.81
52260-2	Cystourethroscopy, with dilation of bladder for interstitial cystitis; general or	¢422.40
52265-2	conduction (spinal) anesthesia local anesthesia	\$433.48 \$261.57
52270-2	Cystourethroscopy, with internal urethrotomy; female	\$742.51
52275-2	male	\$742.51 \$742.51
	Cystourethroscopy with direct vision internal urethrotomy	\$1,119.19
	Cystourethroscopy, with resection of external sphincter (sphincterotomy)	\$1,099.87
	Cystourethroscopy, with calibration and/or dilation of urethral stricture or	ψ.,σσσ.σ.
	stenosis, with or without meatotomy, with or without injection procedure	
	for cystography, male or female	\$549.33
52282-2		\$1,039.10
52283-2	Cystourethroscopy, with steroid injection into stricture	\$501.09
52285-2	Cystourethroscopy for treatment of the female urethral syndrome with	
	any or all of the following: urethral meatotomyh, urethral dilation,	
	internal urethrotomy, lysis of urethrovaginal septal fibrosis, lateral	
	incisions of the bladder neck, and fulguration of polyp(s) of urethra,	<b>.</b> -
040== -	bladder neck, and/or trigone	\$655.61
61055-2	Cisternal or lateral cervical (C1-C2) puncture; with injection of medication	<b>***</b>
	or other substance for diagnosis or treatment (eg, C1-C2)	\$394.11

CPT		2007
CODE	DESCRIPTION	<u>MAXFEE</u>
62284-2	Injection procedure for myelography and/or computed tomography, spinal	
	(other than C1-C2 and posterior fossa)	\$451.57
62290-2	Injection for diskography, each level; lumbar	\$530.38
62291-2	cervical or thoracic	\$530.38
62310-2	Injection, single (not via indwelling catheter), not including neurolytic	
	substances, with orwithout contrast (for either localization or	
	epidurography), of diagnostic or therapeutic substance(s) (including	
	anesthetic, antispasmodic, opioid, steriod, other solution), epidural	<b>#407.44</b>
00044.0	or subarachnoid; cervical or thoracic	\$487.44
62311-2	lumbar, sacral (caudal)	\$377.22
64420-2 64445-2	Injection, anesthetic agent; intercostal nerve, single Injection, anesthetic agent; intercostal nerves, multiple, regional block	\$260.20 \$218.22
64470-2	Injection, anesthetic agent, intercostal nerves, multiple, regional block Injection, anesthetic agent and/or steriod, paravertebral facet joint or	φ210.22
04470-2	facet joint nerve; cervical or thoracic, single level	\$322.40
64475-2	lumbar or sacral, single level	\$295.34
64479-2	Injection, anesthetic agent and/or steriod, transforaminal epidural;	Ψ290.04
04473-2	cervical or thoracic, single level	\$368.34
64483-2	lumbar or sacral, single level	\$336.11
64505-2	Injection, anesthetic agent; sphenopalatine ganglion	\$268.60
64510-2	stellate ganglion (cervical sympathetic)	\$384.63
64520-2	lumbar or thoracic (paravertebral sympathetic)	\$418.43
64600-2	Destruction by neurolytic agent, trigeminal nerve; supraorbital,	Ψιιοιιο
0.000 =	infraorbital, mental, or inferior alveolar	\$482.17
64605-2	second and third division branches at foramen ovale	\$576.62
64610-2	second and third division branches at foramen ovale under	******
	radiologic monitoring	\$679.01
64612-2		•
	(eg, for blepharospasm spasm)	\$1,096.26
64613-2	cervical spinal muscle(s) (eg, for spasmodic torticollis)	\$1,096.26
64614-2	extremity(s) and/or trunk muscle(s) (eg, for dystonia, cerebral	
	palsy, multiple sclerosis)	\$546.71
64620-2	Destruction by neurolytic agent, intercostal nerve	\$327.90
64622-2		
	lumbar or sacral, single level	\$419.18
64623-2	lumbar or sacral, each additional level	\$213.54
64626-2	cervical or thoracic, single level	\$328.94
64627-2	cervical or thoracic, each additional level	\$147.73
64630-2	, , , , , , , , , , , , , , , , , , , ,	\$419.18
64640-2	other peripheral nerve or branch	\$419.18
64680-2	Destruction by neurolytic agent, with or without radiologic	
	monitoring; celiac plexus	\$537.29
64681-2	superior hypogastric plexus	\$488.85
64721-2	• • • • • • • • • • • • • • • • • • • •	\$1,249.57
69433-2	Tympanostomy (requiring insertion of ventilating tube), local or	<b>A</b>
	topical anesthesia	\$237.76
69620-2	, , , , , , , , , , , , , , , , , , , ,	\$2,448.20
91110-5	, o	
	endoscopy), esophagus through ileum, with physician	<b>#4 000 40</b>
	interpretation and report	\$1,008.19